

10			22	836	648	126	144A	198	180A	
		()	36	1368	832	182	208	242	200	
11			4	152	60	28A	32A			
12			5	190	60	28A	32A			
13			5	190	64			44A	20A	
14			22	836	648	126	144A	198	180A	
		()	36	1368	832	182	208	242	200	
15			4	152	60	28A	32A			
16			5	190	60	28A	32A			
17			5	190	64			44A	20A	
18			22	836	648	126	144A	198	180A	
		- (/)	36	1368	676	168	192	176	140	
19			5	190	64			44A	20A	
20	-		5	190	60	28A	32A			
21			5	190	60	28A	32A			
22	XXI .		5	190	60	28A	32A			
23			16	608	432	84	96A	132	120A	
		- ()	36	1368	676	168	192	176	140	
24			16	608	432	84	96A	132	120A	
25			5	190	60	28A	32A			
26	-		5	190	60	28A	32A			
27			5	190	64			44A	20A	
28	XXI .		5	190	60	28A	32A			
		" "	5	190	66		32	34	0	
	2		5	190	66		32	34	0	
29			5	190	66		32	34A		
		" "	5	190	66		32	34	0	
	2		5	190	66		32	34	0	

30	O		5	190	66		32	34A		
	2. (), -		3	114	2				2	
			3	114	2				2	
31			3	114	2	v	v	v	2A	
32			6	228	104	28	32A	44		

A

. . . 30.04.2020 .

. . . 30.04.2020 .

. . . 12.05.2020 .